



Test Report: NEL-400-5

400W Single Output Switching Power Supply

■ DESIGN VERIFY TEST

- Output Function Test
- Input Function Test
- Protection Function Test
- Control Function Test
- Component Stress Test

■ SAFETY TEST

- Safety Test

■ RELIABILITY TEST

- ENVIRONMENT TEST

DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	RIPPLE & NOISE	V1 : 150 mVp-p (Max)	I/P : 230VAC O/P : FULL LOAD Ta : 25°C	V1 : 120 mVp-p (Max)	PASS
2	OUTPUT VOLTAGE ADJUST RANGE	CH1 : 4.5 V ~ 5.5 V	I/P : 230 VAC O/P : MIN LOAD Ta : 25°C	4.351 V ~ 5.609 V / 230 VAC	PASS
3	OUTPUT VOLTAGE TOLERANCE	V1 : -3.0 % ~ 3.0 % (Max)	I/P : 190 VAC / 264 VAC O/P : FULL / MIN LOAD Ta : 25°C	V1 : -0.446 % ~ 0.928 %	PASS
4	LINE REGULATION	V1 : -0.5 % ~ 0.5 % (Max)	I/P : 190VAC ~ 264 VAC O/P : FULL LOAD Ta : 25°C	V1 : -0.01 % ~ 0.014 %	PASS
5	LOAD REGULATION	V1 : -2.0 % ~ 2.0 % (Max)	I/P : 230 VAC O/P : FULL ~MIN LOAD Ta : 25°C	V1 : -0.446 % ~ 0.434 %	PASS
7	SET UP TIME	230VAC : 2500 ms (Max)	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	230VAC / 1189.356 ms	PASS
8	RISE TIME	230VAC : 50 ms (Max)	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	230VAC / 4.361 ms	PASS
9	HOLD UP TIME	230VAC : 20 ms (TYP)	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	230VAC / 24.140 ms	PASS
10	OVER/UNDERSHOOT TEST	< ±10 %	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	TEST : ±3.968 %	PASS
11	DYNAMIC LOAD	V1 : 1500 mVp-p	I/P : 230 VAC (1).O/P : FULL /Min LOAD 90%DUTY/ 1KHZ (2).O/P : FULL /Min LOAD 50%DUTY/ 120HZ Ta : 25°C	(1). 792 mVp-p (2). 1120 mVp-p	PASS

INPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	INPUT VOLTAGE RANGE	180VAC~264 VAC	I/P : TESTING O/P : FULL LOAD Ta : 25°C	172V~264V	PASS
			I/P : LOW-LINE-3V= 177 V HIGH-LINE=264 V O/P : FULL/MIN LOAD ON : 30 Sec. OFF : 30 Sec 10MIN (AC POWER ON/OFF NO DAMAGE)	TEST : OK	
2	INPUT FREQUENCY RANGE	47HZ ~63 HZ NO DAMAGE OSC	I/P : 180 VAC ~ 264 VAC O/P : FULL~MIN LOAD Ta : 25°C	TEST : OK	PASS
3	EFFICIENCY	84% (TYP)	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	84.61 %	PASS
4	INPUT CURRENT	230V/ 5.0 A (TYP)	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	I = 4.089 A/ 230 VAC	PASS
5	INRUSH CURRENT	230V/ 70 A (TYP) COLD START	I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	I = 65.765 A/ 230 VAC	PASS
6	LEAKAGE CURRENT	< 1.0 mA / 240 VAC	I/P : 240 VAC O/P : Min LOAD Ta : 25°C	L-FG : 0.6537 mA N-FG : 0.6515 mA	PASS

PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	OVER LOAD PROTECTION	105 % ~ 140 %	I/P : 230 VAC I/P : 190 VAC O/P : TESTING Ta : 25°C	121.75 %/ 230 VAC 124.25 %/ 190 VAC Hiccup Mode	PASS
2	OVER VOLTAGE PROTECTION	CH1 : 5.6 V ~ 7.0 V	I/P : 230 VAC I/P : 180 VAC O/P : MIN LOAD Ta : 25°C	6.12 V/ 230 VAC 6.12 V/ 180 VAC Hiccup Mode	PASS
3	OVER TEMPERATURE PROTECTION	SPEC : O.T.P. NO DAMAGE	I/P : 230 VAC O/P : FULL LOAD	O.T.P. Active Shut down o/p voltage , recovers automatically after temperature goes down	PASS
4	SHORT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P : 264 VAC O/P : FULL LOAD Ta : 25°C	NO DAMAGE Hiccup Mode	PASS

COMPONENT STRESS TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	Power Transistor (D to S) or (C to E) Peak Voltage	Q2 Rated 600 V / 11 A	I/P : High-Line +3V = 267 V O/P : (1)Full Load Turn on (2) Output Short (3)Full load continue Ta : 25°C	(1) 486 V (2) 490 V (3) 464 V	PASS
2	Diode Peak Voltage	Q100 Rated 40 V / 123 A Q102 Rated 40 V / 208 A	I/P : High-Line +3V = 267 V O/P : (1)Full Load Turn on (2)Output Short (3)Full load continue I/P : High-Line +3V = 267 V O/P : (1)Full Load Turn on (2)Output Short (3)Full load continue Ta : 25°C	(1) 34.6 V (2) 33.4 V (3) 33.8 V (1) 33.6 V (2) 32.4 V (3) 30.8 V	PASS
4	Input Capacitor Voltage	C5 Rated 180 u / 400 V	I/P : High-Line +3V = 267 V O/P : (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Ta : 25°C	(1) 384 V (2) 382 V (3) 382 V	PASS
5	Control IC Voltage Test	U1 Rated 30 V	I/P : High-Line +3V = 267 V O/P : (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Ta : 25°C	(1) 21.6 V (2) 20.2 V (3) 20.5 V	PASS

SAFETY TEST

SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	WITHSTAND VOLTAGE	I/P-O/P : 3 KVAC/min I/P-FG : 2 KVAC/min O/P-FG : 0.5 KVAC/min	I/P-O/P : 3.6 KVAC/min I/P-FG : 2.4 KVAC/min O/P-FG : 0.6 KVAC/min Ta : 25°C	I/P-O/P : 2.935 mA I/P-FG : 2.812 mA O/P-FG : 2.384 mA NO DAMAGE	PASS
2	ISOLATION RESISTANCE	I/P-O/P : 500VDC>100MΩ I/P-FG : 500VDC>100MΩ O/P-FG : 500VDC>100MΩ	I/P-O/P : 500 VDC I/P-FG : 500 VDC O/P-FG : 500 VDC Ta : 25°C/70% RH	I/P-O/P : >9999 MΩ I/P-FG : >9999 MΩ O/P-FG : >9999 MΩ NO DAMAGE	PASS
3	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < 100 mΩ	40 A / 2min Ta : 25°C /70% RH	8 mΩ	PASS

RELIABILITY TEST

ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
----	-----------	---------------	----------------	--------	---------

1	TEMPERATURE RISE TEST	<p>MODEL : NEL-400-5</p> <p>1. ROOM AMBIENT BURN-IN : 1.0 HRS I/P : 230VAC O/P : 100% LOAD Ta=26.3 °C</p> <p>2. HIGH AMBIENT BURN-IN : 1.0 HRS I/P : 230VAC O/P : 100% LOAD Ta=57.0 °C</p> <table border="1" data-bbox="469 369 1145 958"> <thead> <tr> <th>NO</th> <th>Position</th> <th>ROOM AMBIENT Ta= 26.3°C</th> <th>HIGH AMBIENT Ta= 57.0 °C</th> </tr> </thead> <tbody> <tr><td>1</td><td>C5</td><td>36.7°C</td><td>65.0°C</td></tr> <tr><td>2</td><td>T2</td><td>33.2°C</td><td>63.4°C</td></tr> <tr><td>3</td><td>D5</td><td>47.6°C</td><td>79.1°C</td></tr> <tr><td>4</td><td>D6</td><td>44.6°C</td><td>76.0°C</td></tr> <tr><td>5</td><td>U1</td><td>32.4°C</td><td>63.1°C</td></tr> <tr><td>6</td><td>C35</td><td>29.5°C</td><td>60.3°C</td></tr> <tr><td>7</td><td>Q1</td><td>59.2°C</td><td>91.6°C</td></tr> <tr><td>8</td><td>Q2</td><td>58.4°C</td><td>91.0°C</td></tr> <tr><td>9</td><td>C36</td><td>30.6°C</td><td>60.7°C</td></tr> <tr><td>10</td><td>D30</td><td>31.2°C</td><td>61.5°C</td></tr> <tr><td>11</td><td>T1</td><td>54.0°C</td><td>80.8°C</td></tr> <tr><td>12</td><td>Q100</td><td>65.7°C</td><td>100.9°C</td></tr> <tr><td>13</td><td>Q101</td><td>69.5°C</td><td>101.5°C</td></tr> <tr><td>14</td><td>Q102</td><td>83.2°C</td><td>108.9°C</td></tr> <tr><td>15</td><td>Q110</td><td>82.2°C</td><td>117.6°C</td></tr> <tr><td>16</td><td>C110</td><td>70.7°C</td><td>102.6°C</td></tr> <tr><td>17</td><td>L100</td><td>72.9°C</td><td>106.1°C</td></tr> <tr><td>18</td><td>TSW1</td><td>48.0°C</td><td>81.7°C</td></tr> </tbody> </table>			NO	Position	ROOM AMBIENT Ta= 26.3°C	HIGH AMBIENT Ta= 57.0 °C	1	C5	36.7°C	65.0°C	2	T2	33.2°C	63.4°C	3	D5	47.6°C	79.1°C	4	D6	44.6°C	76.0°C	5	U1	32.4°C	63.1°C	6	C35	29.5°C	60.3°C	7	Q1	59.2°C	91.6°C	8	Q2	58.4°C	91.0°C	9	C36	30.6°C	60.7°C	10	D30	31.2°C	61.5°C	11	T1	54.0°C	80.8°C	12	Q100	65.7°C	100.9°C	13	Q101	69.5°C	101.5°C	14	Q102	83.2°C	108.9°C	15	Q110	82.2°C	117.6°C	16	C110	70.7°C	102.6°C	17	L100	72.9°C	106.1°C	18	TSW1	48.0°C	81.7°C	PASS
NO	Position	ROOM AMBIENT Ta= 26.3°C	HIGH AMBIENT Ta= 57.0 °C																																																																														
1	C5	36.7°C	65.0°C																																																																														
2	T2	33.2°C	63.4°C																																																																														
3	D5	47.6°C	79.1°C																																																																														
4	D6	44.6°C	76.0°C																																																																														
5	U1	32.4°C	63.1°C																																																																														
6	C35	29.5°C	60.3°C																																																																														
7	Q1	59.2°C	91.6°C																																																																														
8	Q2	58.4°C	91.0°C																																																																														
9	C36	30.6°C	60.7°C																																																																														
10	D30	31.2°C	61.5°C																																																																														
11	T1	54.0°C	80.8°C																																																																														
12	Q100	65.7°C	100.9°C																																																																														
13	Q101	69.5°C	101.5°C																																																																														
14	Q102	83.2°C	108.9°C																																																																														
15	Q110	82.2°C	117.6°C																																																																														
16	C110	70.7°C	102.6°C																																																																														
17	L100	72.9°C	106.1°C																																																																														
18	TSW1	48.0°C	81.7°C																																																																														
2	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2.0 HOUR	I/P : 264VAC/230VAC/190VAC O/P : 100% LOAD Ta= -25°C	TEST : OK	PASS																																																																												
3	TEMPERATURE COEFFICIENT	±0.03%(0~50°C)	I/P : 230 VAC O/P : 100% LOAD	±0.014%(0~50°C)	PASS																																																																												
4	STORAGE TEMPERATURE TEST	<p>1. Thermal shock Temperature : -45°C ~ +90°C</p> <p>2. Temperature change rate : 25°C / MIN</p> <p>3. Dwell time low and high temperature : 30 MIN/EACH</p> <p>4. Total test cycle : 5 CYCLE</p> <p>5. Input/Output condition : STATIC</p>			PASS																																																																												
5	THERMAL SHOCK TEST	<p>1. Thermal shock Temperature : -25°C ~ +55°C</p> <p>2. Temperature change rate : 25°C / MIN</p> <p>3. Dwell time low and high temperature : 30 MIN/EACH</p> <p>4. Total test cycle : 10 CYCLE</p> <p>5. Input/Output condition : 230VAC/FULL LOAD AC ON/OFF TEST turn on 58sec ; turn off 2sec</p>			PASS																																																																												
6	VIBRATION TEST	<p>1 Carton & 1 Set</p> <p>(1) Waveform : Sine Wave</p> <p>(2) Frequency : 10~500Hz</p> <p>(3) Sweep Time : 10min/sweep cycle</p> <p>(4) Acceleration : 4G</p> <p>(5) Test Time : 90min in each axis (X.Y.Z)</p> <p>(6) Ta : 25°C</p>			PASS																																																																												
7	CAPACITOR LIFE CYCLE	<p>NEL-400-5 : SUPPOSE C110 IS THE MOST CRITICAL COMPONENT</p> <p>(1) I/P : 230VAC O/P : FULL LOAD Ta=25 °C LIFE TIME (1) 53496.6 HRS</p> <p>(2) I/P : 230VAC O/P : FULL LOAD Ta=50 °C LIFE TIME (2) 10502.4 HRS</p> <p>(3) I/P : 230VAC O/P : 75% LOAD Ta=50 °C LIFE TIME (3) 36813.1 HRS</p> <p>(4) I/P : 230VAC O/P : 50% LOAD Ta=50 °C LIFE TIME (4) 92497.7 HRS</p>			PASS																																																																												
8	MTBF	<p>Conducted by Parts Stress Analysis Prediction</p> <p>1708.9K hrs min. Telcordia SR-332 (Bellcore) ; 220.9K hrs min. MIL-HDBK-217F (25°C)</p>			PASS																																																																												



9	DMTBF/Accelerated Life Test	Demonstration Mean Time Between Failure(Expected Life) : 20000 hours @ TA 50°C	PASS
---	-----------------------------	---	------

SAMPLE	TEST RESULT	TESTER	APPROVAL
PRODUCT SAMPLE	PASS	ZHUOKB / ZOULF	LIUWY

2009/08/04 A50-G058